



# **TECHNICAL INFORMATION**

### FOR PROFESSIONAL USE ONLY

# BRAYT T2 ANTIHOLOGRAM & MICROSCRATCH REMOVER

>silicone free<

### PRODUCT DESCRIPTION

Product designed to remove holograms and microscratches on painted surface. Suitable also to eliminate traces after polishing. Product guarantees perfect gloss and creates a protective layer resistant to detergents. Silicone free.

## **PHYSICAL AND CHEMICAL PROPERTIES**

Capacity: 100 g; 250 g, 1 kg

• Density: 0,96 g/cm<sup>3</sup>

Cut level: 4/10
Gloss level: 10/10
Color: white

# **USAGE**

- In case of polishing on big surface work a small area at time.
- Apply compound on polishing pad. It's recommended to use a small amount because its excess will increase working time.
- First use polisher in low speed range to accurately distribute product in the surface.
   Work in speed range between 600 800 RPM, depending on polisher
- Gradually increase speed to maximum 2000 RPM.
- Polish until all imperfection are removed and gradually reduce speed.



### October 2018

- After polishing remove any residue using clean microfiber cloth.
- After 24 hours from application product create protective layer, resistant to detergents, so after final polishing do not wash the surface with any remover (such as for example isopropyl alcohol).

### **STORAGE**

Product works best when its temperature is  $15 - 25^{\circ}$ C. Store in sealed container at  $0 - 45^{\circ}$ C.

### **EXPIRY DATE**

24 months from production date. .

All information are based upon the precise laboratory studies and many years of experience. The good market position does not release us from the constant supervision of our products quality. However we are not responsible for the final effects of the improper storage or application of our products, as well as for work inconsistent with the good craft practice.

TROTON Sp. z o.o. Ząbrowo, Poland.



